

Quiz 13 Review

Name: _____

Hypothesis Testing

Date: _____ Period: _____

Vocabulary

1. _____ is a decision-making process for evaluating claims about a population
2. A _____ is a conjecture about a parameter; conjecture may or may not be true
3. A statement of equality to be tested; denoted: H_0 is called a _____.
4. A statement of inequality that is the complement of the null; denoted: H_a is called a _____.
5. A _____ separates the critical region from the non-critical region
6. The _____ is the shaded portion and it indicates a significant difference and that the null should be rejected.
7. The _____ is not shaded and means that the difference is probably due to chance and that the null hypothesis should not be rejected
8. _____ - or _____ -tailed test indicates that the null should be rejected when the test value is in the critical region
9. A _____ uses the data obtained from a sample to make a decision about whether or not the null hypothesis should be rejected
10. A _____ is a number obtained to decide whether or not to reject the null hypothesis

Work Problems

Pg. 69-70 –Intro to Hypothesis Testing

For the following pairs, indicate which do not comply with the rules for setting up hypotheses, and explain why:

11. $H_0: \mu = 15$
 $H_a: \mu = 15$

12. $H_0: p = .4$
 $H_a: p > .6$

13. $H_a: \mu = 123$
 $H_0: \mu < 123$

State the null and alternative hypotheses for each conjecture.

14. A psychologist feels that playing soft music during a test will change the results of the test. The psychologist is not sure whether the grades will be higher or lower. In the past, the mean of the scores was 73. What are the null and alternative hypotheses?

15. A researcher thinks that if expectant mothers use vitamin pills, the birth weight of the babies will increase. The average birth weight of the population is 8.6 pounds. What are the null and alternative hypotheses?

Assume that the data has a normal distribution. Draw a figure and answer each question.

16. Find the z-critical value for a left tailed test, when $\alpha = 0.08$

17. Find the t-critical value for a $\alpha = 0.50$ for a two-tailed test with $n=24$

18. Find the z-critical value for a right tailed test, when $\alpha = 0.20$

19. Find the t-critical value used to test a null hypothesis. $\alpha = 0.025$ and $H_a: \mu > 64.10$ for $n = 14$

Pg. 73-74 – Conducting a Hypothesis Test for the Mean when $n > 30$

Answer the following. Complete all four steps.

20. The EPA reports that the exhaust emissions for a certain car model have a mean of 1.45g of nitrous oxide per mile and a standard deviation of 0.4. The manufacturer claims their new process reduces the mean level of exhaust emitted for this car model. A SRS of 28 cars is taken and the mean level of exhaust is 1.51g. At $\alpha=0.05$, is there enough evidence to support the claim?

21. A credit card company wondered whether giving frequent flyer miles for every purchase would increase card usage, which has a current mean of \$2500 per year. They gave free miles to a SRS of 51 credit card customers and found the sample mean to be \$2542. Assume the population standard deviation is \$109. At $\alpha=0.02$, is there enough evidence to support the claim?

22. A production line produces rulers that are supposed to be 12 inches long. A sample of 49 of the rulers had a mean of 12.1 and a standard deviation of .5 inches. The quality control specialist responsible for the production line decides to do a hypothesis test at $\alpha=0.01$ to determine whether the production line is really producing rulers that are 12 inches long or not.